



Comparing Amino Acid Sequences

Copy Instructions

Make *single-sided* copies


- This packet contains 10 different versions of the hand-outs, labeled Set A through K.
- The activity will work best if all 10 Sets are distributed among a class.
 - Arrange students into 10 pairs or groups, or multiples of 10.
 - Give one hand-out version (Set) to each group or pair of students.

Tip: If students are working in pairs, make extra copies of page 1 of each set so that both students have a copy of the mouse sequence to compare.

Print all pages in landscape orientation

- You may be able to do so from your web browser, but you may need to download this pdf file first.

First, students compare sequences ►



Then they mark the percent identity on the card cut-outs ▼

PCNA PROTEIN

ANIMAL
chicken

91

% IDENTICAL TO MOUSE

PCNA PROTEIN

ANIMAL
fruit fly

74

% IDENTICAL TO MOUSE

PCNA PROTEIN

PLANT
soybean

68

% IDENTICAL TO MOUSE

PCNA PROTEIN

FUNGUS
yeast

36

% IDENTICAL TO MOUSE

Comparing Amino Acid Sequences

Introduction

Some proteins are shared among all living things. Even though these proteins carry out the same function, their exact shape and size—which depends on the amino acids they are made up of—can be different from one organism to the next.

Yet if all living things are descended from a common ancestor, we would expect to find similarities in their protein sequences.

Are proteins that have the same job made up of similar sequences of amino acids?

What patterns are there in amino acid sequences from different organisms?

PCNA (Proliferating Cell Nuclear Antigen) Protein

When three of these proteins come together, they form a ring that wraps around a single strand of DNA. The ring acts as a clamp for DNA polymerase—the molecular machine that copies DNA—so it can “lock” onto the DNA template strand during DNA replication. Because copying DNA is essential for life, all types of living things make this protein.

Comparing Amino Acid Sequences

You will be comparing amino acid sequences of PCNA protein from several different organisms to PCNA protein from mouse. PCNA has about 260 amino acids in all. You’re going to look at just the last 63 or so of them.


Instructions

1. Fold along the dotted line, below the mouse sequence.



MOUSE – PCNA amino acid sequence (partial):

N E P V H L T F A L R Y L N F F T K A T P L S P T V T L S M S A D V P L V V E Y K I A D M G H L K Y Y L A P K I E D E E A S



Structure of PCNA protein (from *arabidopsis thaliana*). Three interconnected molecules of PCNA are pictured; DNA fits into the space in the center.

based on RCSB PDB reference 2zvww

NAME _____ DATE _____

2. Line up the mouse sequence with the sequence below, and mark matches and mismatches:

- CIRCLE matches; SLASH mismatches
- If both are dashes, don't count it at all

MOUSE	-	T	L	P	-	M	S	-	-	V	P	L	E
SOYBEAN	-	T	L	P	S	M	S	-	-	K	I	A	I

◀ Example: 5 matches out of 10 = 50%



CHICKEN-PCNA amino acid sequence (partial):

NEPVQLTFALRYLNFFTKATPLSPTVTLSMSADVPLVVEYKIA DMGHLKYYLAPKIEDQ QEG

4. Calculate the **percent of amino acids that are identical** between mouse and chicken: _____ ÷ 62 = _____ %
(# that are the same)

5. Repeat for the other sequences:



FRUIT FLY – PCNA amino acid sequence (partial):

QEPVTLTFACRYLNAFTKATPLSTQVQLSMCADVPLVVEYAIKDLGHIRY YLAPKIEDNET-

percent identical between mouse and fruit fly: _____ ÷ 62 = _____ %
(# that are the same)



SOYBEAN – PCNA amino acid sequence (partial):

NEPVSLTFALRYMNSFTKATPLSNTVTISLSNELPVVVEYKIAEMGYVRFY LAPKIEEDEED

percent identical between mouse and soybean: _____ ÷ 62 = _____ %
(# that are the same)



YEAST – PCNA amino acid sequence (partial):

DQPVDLTFGAKYLLDIKGSLSDRVGIRLSSEAPALFQFDLK-SGFLQFFLAPKFND E E - -

percent identical between mouse and yeast: _____ ÷ 62 = _____ %
(# that are the same)

NAME _____ DATE _____



E. COLI — PCNA amino acid sequence (partial):

GAEMEIGFNVS YVLDV LNAL KCE - NVRMMLTDSVSS - VQIEDAASQSAAYVVM PMRL - - - -

percent identical between mouse and *E. coli*: _____ ÷ 62 = _____ %
(# that are the same)

A

RANDOM amino acid sequence:

DKNQHISDPATVQLYWLQLWHGQDHTVPIRRCVFWFNCA YFYFLMGRLTPTFAGLGCWGMKK


percent identical between mouse and the random sequence: _____ ÷ 62 = _____ %
(# that are the same)

6. Fill in the boxes on the cards with the percent identical numbers. Make sure to write your numbers BIG. Cut the cards apart.

PCNA PROTEIN

BACTERIA


E. coli



% IDENTICAL TO MOUSE

PCNA PROTEIN

RANDOM SEQUENCE





% IDENTICAL TO MOUSE

PCNA PROTEIN

ANIMAL

chicken





% IDENTICAL TO MOUSE

PCNA PROTEIN

ANIMAL

fruit fly




% IDENTICAL TO MOUSE

PCNA PROTEIN

PLANT

soybean





% IDENTICAL TO MOUSE

PCNA PROTEIN

FUNGUS

yeast



% IDENTICAL TO MOUSE

Comparing Amino Acid Sequences

Introduction

Some proteins are shared among all living things. Even though these proteins carry out the same function, their exact shape and size—which depends on the amino acids they are made up of—can be different from one organism to the next.

Yet if all living things are descended from a common ancestor, we would expect to find similarities in their protein sequences.

Are proteins that have the same job made up of similar sequences of amino acids?

What patterns are there in amino acid sequences from different organisms?

PCNA (Proliferating Cell Nuclear Antigen) Protein

When three of these proteins come together, they form a ring that wraps around a single strand of DNA. The ring acts as a clamp for DNA polymerase—the molecular machine that copies DNA—so it can “lock” onto the DNA template strand during DNA replication. Because copying DNA is essential for life, all types of living things make this protein.

Comparing Amino Acid Sequences

You will be comparing amino acid sequences of PCNA protein from several different organisms to PCNA protein from mouse. PCNA has about 260 amino acids in all. You’re going to look at just the last 63 or so of them.


Instructions

1. Fold along the dotted line, below the mouse sequence.



MOUSE – PCNA amino acid sequence (partial):

N E P V H L T F A L R Y L N F F T K A T P L S P T V T L S M S A D V P L V V E Y K I A D M G H L K Y Y L A P K I E D E E A S



Structure of PCNA protein (from *arabidopsis thaliana*). Three interconnected molecules of PCNA are pictured; DNA fits into the space in the center.

based on RCSB PDB reference 2zvww

NAME _____ DATE _____

2. Line up the mouse sequence with the sequence below, and mark matches and mismatches:

- CIRCLE matches; SLASH mismatches
- If both are dashes, don't count it at all

MOUSE	-	T	L	P	-	M	S	-	-	V	P	L	E
SOYBEAN	-	(T)	(L)	(P)	(/)	(M)	(S)	-	-	(/)	(/)	(/)	(/)

◀ Example: 5 matches out of 10 = 50%



COW – PCNA amino acid sequence (partial):

NEPVQLTFALRYLNFFTKATPLSPTVTLSMSADVPLVVEYKIADMGHLKYYLAPKIEDEEGS

4. Calculate the **percent of amino acids that are identical** between mouse and cow: _____ ÷ 62 = _____ %
(# that are the same)

5. Repeat for the other sequences:



FROG – PCNA amino acid sequence (partial):

NEPVQLTFALRYLNFFTKATPLSPTVILSMSADIPLVVEYKIADMGHVKYYLAPKIEDEEAS

percent identical between mouse and frog: _____ ÷ 62 = _____ %
(# that are the same)



NEMATODE – PCNA amino acid sequence (partial):

KDPVNVNFSIKYMNQFTKATALSDRVRLSLCNDVPVVVEYPIEENGYLRFYLAPKIDDDENM

percent identical between mouse and nematode: _____ ÷ 62 = _____ %
(# that are the same)



CORN – PCNA amino acid sequence (partial):

QEPVSLTFALRYMNSFTKASSLSSEQVTISLSSELPVVVEYKIAEMGYIRFYLAPEKIEDDEEM

percent identical between mouse and corn: _____ ÷ 62 = _____ %
(# that are the same)

NAME _____ DATE _____



M. JANNASCHII – PCNA amino acid sequence (partial):

K E E A K S A F N L D Y L M D M V K G V S S G D I I K I Y L G N D M P L K L E Y S I A G - V N L T F L L A P R I E G - - - -

percent identical between mouse and M. janneschii: _____ ÷ 62 = _____ %
(# that are the same)

B

RANDOM amino acid sequence:


P Q M Q K G A E M R W S H T R M S V S M Q L P F V A R G N E F L H P V I W K Y H I C K A C M E A M F N M H W G D G Y D D L G

percent identical between mouse and the random sequence: _____ ÷ 62 = _____ %
(# that are the same)

6. Fill in the boxes on the cards with the percent identical numbers. Make sure to write your numbers BIG. Cut the cards apart.

PCNA PROTEIN

ARCHAEA
M. janneschii



% IDENTICAL TO MOUSE

PCNA PROTEIN

RANDOM SEQUENCE



B

% IDENTICAL TO MOUSE

PCNA PROTEIN

ANIMAL

cow




% IDENTICAL TO MOUSE

PCNA PROTEIN

ANIMAL

frog





% IDENTICAL TO MOUSE

PCNA PROTEIN

ANIMAL

nematode




% IDENTICAL TO MOUSE

PCNA PROTEIN

PLANT

corn



% IDENTICAL TO MOUSE

Comparing Amino Acid Sequences

Introduction

Some proteins are shared among all living things. Even though these proteins carry out the same function, their exact shape and size—which depends on the amino acids they are made up of—can be different from one organism to the next.

Yet if all living things are descended from a common ancestor, we would expect to find similarities in their protein sequences.

Are proteins that have the same job made up of similar sequences of amino acids?

What patterns are there in amino acid sequences from different organisms?

Topoisomerase 1 Protein

As DNA is copied to make more DNA or RNA, it must unwind so that cellular machinery can access the sequences they need. Then it rewinds itself to stay compact.


Unwinding and rewinding adds twists and tension to DNA, much like a pair of tangled headphone wires. Topoisomerase 1 cuts one strand of DNA, allows it to untwist and relax, then puts the strand back together. Because managing DNA is essential for life, all types of living things make this protein.

Comparing Amino Acid Sequences

You will be comparing amino acid sequences of Topoisomerase protein from several different organisms to Topoisomerase protein from mouse. This protein has about 865 amino acids in all. You're going to look at about 60 of them.

Instructions

1. Fold along the dotted line, below the mouse sequence.



Structure of Topoisomerase I protein wrapped around a small piece of DNA.

based on RCSB PDB reference 3px7



MOUSE – Topoisomerase 1 amino acid sequence (partial):

SSRIKGEKDWQKYETAR - - - RLKKCVDKIRNQYREDWK - - - - - SKEMKVRQRAVALYF


NAME _____ DATE _____

2. Line up the mouse sequence with the sequence below, and mark matches and mismatches:

- CIRCLE matches; SLASH mismatches
- If both are dashes, don't count it at all

MOUSE	-	T	L	P	-	M	S	-	-	V	P	L	E
SOYBEAN	-	(T)	(L)	(P)	(/)	(M)	(S)	-	-	(/)	(/)	(/)	(/)

◀ Example: 5 matches out of 10 = 50%



COW – Topoisomerase 1 amino acid sequence (partial):

S S R I K G E K D W Q K Y E T A R - - - R L K K C V D K I R N Q Y R E D W K - - - - - S K E M K V R Q R A V A L Y F

4. Calculate the **percent of amino acids that are identical** between mouse and cow: _____ ÷ 50 = _____ %
(# that are the same)

5. Repeat for the other sequences:



CHIMP – Topoisomerase 1 amino acid sequence (partial):

S S R I K G E K D W Q K Y E T A R - - - R L K K C V D K I R N Q Y R E D W K - - - - - S K E M K V R Q R A V A L Y F

percent identical between mouse and chimp: _____ ÷ 50 = _____ %
(# that are the same)



NEMATODE – Topoisomerase 1 amino acid sequence (partial):

S S K I K G E K D F E K Y E T A R - - - R L K K K I G G I R E R Y T D D F K - - - - - S K E M R V R Q R A T A L Y F

percent identical between mouse and nematode: _____ ÷ 50 = _____ %
(# that are the same)



MOSS – Topoisomerase 1 amino acid sequence (partial):

A S K K V S E A K L S I G S V K K R L V R R N P L A P Y I T S T L Q Q D A S S K L G F G T T R T M S L A Q Q - - - L Y E

percent identical between mouse and moss: _____ ÷ 60 = _____ %
(# that are the same)

NAME _____ DATE _____



E. COLI — Topoisomerase 1 amino acid sequence (partial):

AVSLLEKARYSVLEREDKPTTSKPGAPFITSTLQQAASTRLGFGVKKTMMMAQR---LYE

percent identical between mouse and *E. coli*: _____ ÷ 60 = _____ %
(# that are the same)



RANDOM amino acid sequence:

NMPFQHI I KEAYYCLRG --- SACTTQPQGLHYGWHWCW - - - - - FDSSQAHQHNVKVT


percent identical between mouse and the random sequence: _____ ÷ 50 = _____ %
(# that are the same)

6. Fill in the boxes on the cards with the percent identical numbers. Make sure to write your numbers BIG. Cut the cards apart.

TOPOISOMERASE 1 PROTEIN

BACTERIA

E. coli



% IDENTICAL TO MOUSE

TOPOISOMERASE 1 PROTEIN

RANDOM SEQUENCE





% IDENTICAL TO MOUSE

TOPOISOMERASE 1 PROTEIN

ANIMAL

cow





% IDENTICAL TO MOUSE

TOPOISOMERASE 1 PROTEIN

ANIMAL

chimpanzee





% IDENTICAL TO MOUSE

TOPOISOMERASE 1 PROTEIN

ANIMAL

nematode





% IDENTICAL TO MOUSE

TOPOISOMERASE 1 PROTEIN

PLANT

moss



% IDENTICAL TO MOUSE

Comparing Amino Acid Sequences

Introduction

Some proteins are shared among all living things. Even though these proteins carry out the same function, their exact shape and size—which depends on the amino acids they are made up of—can be different from one organism to the next.

Yet if all living things are descended from a common ancestor, we would expect to find similarities in their protein sequences.

Are proteins that have the same job made up of similar sequences of amino acids?

What patterns are there in amino acid sequences from different organisms?

Topoisomerase 1 Protein

As DNA is copied to make more DNA or RNA, it must unwind so that cellular machinery can access the sequences they need. Then it rewinds itself to stay compact.


Unwinding and rewinding adds twists and tension to DNA, much like a pair of tangled headphone wires. Topoisomerase 1 cuts one strand of DNA, allows it to untwist and relax, then puts the strand back together. Because managing DNA is essential for life, all types of living things make this protein.

Comparing Amino Acid Sequences

You will be comparing amino acid sequences of Topoisomerase protein from several different organisms to Topoisomerase protein from mouse. This protein has about 865 amino acids in all. You're going to look at about 60 of them.

Instructions

1. Fold along the dotted line, below the mouse sequence.



Structure of Topoisomerase I protein wrapped around a small piece of DNA.

based on RCSB PDB reference 3px7



MOUSE – Topoisomerase 1 amino acid sequence (partial):

SSRIKGEKDWQKYETAR - - - RLKKCVDKIRNQYREDWK - - - - - SKEMKVRQRAVALYF

NAME _____ DATE _____

2. Line up the mouse sequence with the sequence below, and mark matches and mismatches:

- CIRCLE matches; SLASH mismatches
- If both are dashes, don't count it at all

MOUSE – T L P – M S – – V P L E
 SOYBEAN – (T) (L) (P) (S) (M) (S) – – / / / /

◀ Example: 5 matches out of 10 = 50%



CHICKEN – Topoisomerase 1 amino acid sequence (partial):

S S R I K G E K D W Q K Y E T A R – – – R L K K C V D K I R N Q Y R E D W K – – – – – S K E M K V R Q R A V A L Y F

4. Calculate the **percent of amino acids that are identical** between mouse and chicken: _____ ÷ 50 = _____ %
(# that are the same)

5. Repeat for the other sequences:



FRUIT FLY – Topoisomerase 1 amino acid sequence (partial):

S S K L K G E K D H I K Y E T A R – – – R L D K V I D K I R A T Y R D E W K – – – – – S K E M R V R Q R A V A L Y F

percent identical between mouse and fruit fly: _____ ÷ 50 = _____ %
(# that are the same)



YEAST – Topoisomerase 1 amino acid sequence (partial):

N S S L K G Q S D Y K K F E K A R – – – Q L K S Y I D A I R R D Y T R N L K – – – – – S K V M L E R Q K A V A I Y L

percent identical between mouse and yeast: _____ ÷ 50 = _____ %
(# that are the same)



MOSS – Topoisomerase 1 amino acid sequence (partial):

A S K K V S E A K L S I G S V K K R L V R R N P L A P Y I T S T L Q Q D A S S K L G F G T T R T M S L A Q Q – – – L Y E

percent identical between mouse and moss: _____ ÷ 60 = _____ %
(# that are the same)

NAME _____ DATE _____



M. JANNASCHII – Topoisomerase 1 amino acid sequence (partial):

Y E K I K D E K S A K V V E I K K T K R K L K P L P P F D L G T L Q R E A Y S Y F K I S P K E T Q E I A Q K - - - L Y E

percent identical between mouse and M. janneschii: _____ ÷ 60 = _____ %
(# that are the same)

D

RANDOM amino acid sequence:


R D L W S K A E Q M Q A P N C H N - - - T T R C F C G L F W I S F T L S F M - - - - - D S Q I E A I L Y Q H T T W Y

percent identical between mouse and the random sequence: _____ ÷ 50 = _____ %
(# that are the same)

6. Fill in the boxes on the cards with the percent identical numbers. Make sure to write your numbers BIG. Cut the cards apart.

TOPOISOMERASE 1 PROTEIN


ARCHAEA
M. jannaschii



% IDENTICAL TO MOUSE

TOPOISOMERASE 1 PROTEIN

RANDOM SEQUENCE





% IDENTICAL TO MOUSE

TOPOISOMERASE 1 PROTEIN

ANIMAL

chicken





% IDENTICAL TO MOUSE

TOPOISOMERASE 1 PROTEIN

ANIMAL

fruit fly





% IDENTICAL TO MOUSE

TOPOISOMERASE 1 PROTEIN

FUNGUS

yeast





% IDENTICAL TO MOUSE

TOPOISOMERASE 1 PROTEIN

PLANT

moss



% IDENTICAL TO MOUSE

Comparing Amino Acid Sequences

Introduction

Some proteins are shared among all living things. Even though these proteins carry out the same function, their exact shape and size—which depends on the amino acids they are made up of—can be different from one organism to the next.

Yet if all living things are descended from a common ancestor, we would expect to find similarities in their protein sequences.

Are proteins that have the same job made up of similar sequences of amino acids?


What patterns are there in amino acid sequences from different organisms?

DNA Polymerase 1 Protein

DNA Polymerase is a molecular machine that copies DNA. It moves along one strand of DNA, adding one building block (nucleotide) at a time to make a new, complementary DNA strand. Because copying DNA is essential for life, all types of living things make this protein.

Comparing Amino Acid Sequences

You will be comparing amino acid sequences of DNA Polymerase 1 protein from several different organisms to DNA Polymerase 1 protein from mouse. DNA Polymerase 1 is a very large protein, up to about 1,465 amino acids in size. You're going to look at about 54 amino acids.



Structure of DNA polymerase protein, shown with a small piece of DNA.

based on RCSB PDB reference 4q5v

Instructions

1. Fold along the dotted line, below the mouse sequence.



MOUSE – DNA Polymerase 1 amino acid sequence (partial):

L I E I G E N V L N G S V P V S Q F E I N K A L T K D P Q D Y P D R K S L P H V H V A L W I N S Q G G

NAME _____ DATE _____

2. Line up the mouse sequence with the sequence below, and mark matches and mismatches:

- CIRCLE matches; SLASH mismatches
- If both are dashes, don't count it at all

MOUSE	-	T	L	P	-	M	S	-	-	V	P	L	E
SOYBEAN	-	(T)	(L)	(P)	(/)	(M)	(S)	-	-	(/)	(/)	(/)	(/)

◀ Example: 5 matches out of 10 = 50%



CHIMP — DNA Polymerase 1 amino acid sequence (partial):

L I E I G E N V L N G S V P V S Q F E I N K A L T K D P Q D Y P D K K S L P H V H V A L W I N S Q G G

4. Calculate the **percent of amino acids that are identical** between mouse and chimp: _____ ÷ 51 = _____ %
(# that are the same)

5. Repeat for the other sequences:



ZEBRAFISH — DNA Polymerase 1 amino acid sequence (partial):

L I E I G E K V A N G N I P L N M F E I H K S L T K E P Q D Y P D K K S L P H V H V A L W I N S Q G G

percent identical between mouse and zebrafish: _____ ÷ 51 = _____ %
(# that are the same)



NEMATODE — DNA Polymerase 1 amino acid sequence (partial):

L R E I R A K L D S G T V P L E M F Q I S K Q L T R N P E Q Y A D V K A Q C H A A V A Q R L N K S G K

percent identical between mouse and nematode: _____ ÷ 51 = _____ %
(# that are the same)



PLASMODIUM — DNA Polymerase 1 amino acid sequence (partial):

L R T I N Q R I Q N D E F D L D Y Y I I T K K L T K N V H E Y Q D K N S L G H V L V A E R M I K D - G

percent identical between mouse and plasmodium: _____ ÷ 51 = _____ %
(# that are the same)

NAME _____ DATE _____



Y. PESTIS — DNA Polymerase 1 amino acid sequence (partial):

V R D Y V A R T L N G E L D E Q - L V Y R K R L R R R L D D Y Q R N - V P P H A R A A D E F N R K L G

percent identical between mouse and Y. pestis: _____ ÷ 51 = _____ %
(# that are the same)

E

RANDOM amino acid sequence:

E T Q W F M G A N E C R A T V Q K S K F K Y N R P F D G A F I Y L K Q K H A Y Q Y Y N A L Q T H W Q D


percent identical between mouse and the random sequence: _____ ÷ 51 = _____ %
(# that are the same)

6. Fill in the boxes on the cards with the percent identical numbers. Make sure to write your numbers BIG. Cut the cards apart.

DNA POLYMERASE 1 PROTEIN

BACTERIA

Y. Pestis



% IDENTICAL TO MOUSE

DNA POLYMERASE 1 PROTEIN



RANDOM SEQUENCE

E

% IDENTICAL TO MOUSE

DNA POLYMERASE 1 PROTEIN



ANIMAL
chimpanzee



% IDENTICAL TO MOUSE

DNA POLYMERASE 1 PROTEIN



ANIMAL
zebrafish



% IDENTICAL TO MOUSE

DNA POLYMERASE 1 PROTEIN



ANIMAL
nematode



% IDENTICAL TO MOUSE

DNA POLYMERASE 1 PROTEIN

PROTIST
plasmodium



% IDENTICAL TO MOUSE

Comparing Amino Acid Sequences

Introduction

Some proteins are shared among all living things. Even though these proteins carry out the same function, their exact shape and size—which depends on the amino acids they are made up of—can be different from one organism to the next.

Yet if all living things are descended from a common ancestor, we would expect to find similarities in their protein sequences.

Are proteins that have the same job made up of similar sequences of amino acids?


What patterns are there in amino acid sequences from different organisms?

DNA Polymerase 1 Protein

DNA Polymerase is a molecular machine that copies DNA. It moves along one strand of DNA, adding one building block (nucleotide) at a time to make a new, complementary DNA strand. Because copying DNA is essential for life, all types of living things make this protein.

Comparing Amino Acid Sequences

You will be comparing amino acid sequences of DNA Polymerase 1 protein from several different organisms to DNA Polymerase 1 protein from mouse. DNA Polymerase 1 is a very large protein, up to about 1,465 amino acids in size. You're going to look at about 54 amino acids.



Structure of DNA polymerase protein, shown with a small piece of DNA.

based on RCSB PDB reference 4q5v

Instructions

1. Fold along the dotted line, below the mouse sequence.



MOUSE – DNA Polymerase 1 amino acid sequence (partial):

L I E I G E N V L N G S V P V S Q F E I N K A L T K D P Q D Y P D R K S L P H V H V A L W I N S Q G G

NAME _____ DATE _____

2. Line up the mouse sequence with the sequence below, and mark matches and mismatches:

- CIRCLE matches; SLASH mismatches
- If both are dashes, don't count it at all

MOUSE	-	T	L	P	-	M	S	-	-	V	P	L	E
SOYBEAN	-	(T)	(L)	(P)	(/)	(M)	(S)	-	-	(/)	(/)	(/)	(/)

◀ Example: 5 matches out of 10 = 50%



COW – DNA Polymerase 1 amino acid sequence (partial):

L I E I G E N V L N G S V P V S Q F E I N K A L T K D P Q D Y P D K K S L P H V H V A L W I N S Q G G

4. Calculate the **percent of amino acids that are identical** between mouse and cow: _____ ÷ 51 = _____ %
(# that are the same)

5. Repeat for the other sequences:



FRUIT FLY – DNA Polymerase 1 amino acid sequence (partial):

L E K I K T Q I A E G V V P L P L F V I T K Q L T R T P Q E Y A N S A S L P H V Q V A L R M N R E R N

percent identical between mouse and fruit fly: _____ ÷ 51 = _____ %
(# that are the same)



YEAST – DNA Polymerase 1 amino acid sequence (partial):

L E D I R I K V E T N N I R I D K Y K I N M K L S K D P K A Y P G G K N M P A V Q V A L R M R K A - G

percent identical between mouse and yeast: _____ ÷ 51 = _____ %
(# that are the same)



Y. PESTIS – DNA Polymerase 1 amino acid sequence (partial):

V R D Y V A R T L N G E L D E Q - L V Y R K R L R R R L D D Y Q R N - V P P H A R A A D E F N R K L G

percent identical between mouse and Y. pestis: _____ ÷ 51 = _____ %
(# that are the same)

NAME _____ DATE _____



M. JANNASCHII – DNA Polymerase I amino acid sequence (partial):

I Q D V I K D L R E K K I K K E D L I I Y T Q L T K D P K E Y K T - - T A P H V E I A K K L M R E - G

percent identical between mouse and M. jannaschii: _____ ÷ 51 = _____ %
(# that are the same)

F

RANDOM amino acid sequence:

W V E N T Y L T T T N A N W N G D M R G W A N M I T M M H G R A M W S F H Y I C K V L H P M C P V A G


percent identical between mouse and the random sequence: _____ ÷ 51 = _____ %
(# that are the same)

6. Fill in the boxes on the cards with the percent identical numbers. Make sure to write your numbers BIG. Cut the cards apart.

DNA POLYMERASE 1 PROTEIN

ARCHAEA


M. jannaschii



% IDENTICAL TO MOUSE

DNA POLYMERASE 1 PROTEIN

RANDOM SEQUENCE





% IDENTICAL TO MOUSE

DNA POLYMERASE 1 PROTEIN

ANIMAL

cow





% IDENTICAL TO MOUSE

DNA POLYMERASE 1 PROTEIN

ANIMAL

fruit fly





% IDENTICAL TO MOUSE

DNA POLYMERASE 1 PROTEIN

FUNGUS

yeast





% IDENTICAL TO MOUSE

DNA POLYMERASE 1 PROTEIN

BACTERIA

Y. pestis



% IDENTICAL TO MOUSE

Comparing Amino Acid Sequences

Introduction

Some proteins are shared among all living things. Even though these proteins carry out the same function, their exact shape and size—which depends on the amino acids they are made up of—can be different from one organism to the next.

Yet if all living things are descended from a common ancestor, we would expect to find similarities in their protein sequences.


Are proteins that have the same job made up of similar sequences of amino acids?
What patterns are there in amino acid sequences from different organisms?

RNA Polymerase 2 Protein

RNA Polymerase is made up of several proteins that work together (in yeast, there are 10). RNA Polymerase transcribes DNA: it moves along one strand and builds a complementary strand of RNA. Because transcribing the information from DNA to make RNA is essential for life, all types of living things make RNA Polymerase.

Comparing Amino Acid Sequences

You will be comparing amino acid sequences of RNA Polymerase 2 protein subunits from several different organisms to the Subunit B protein from mouse. This protein has about 1,255 amino acids in all. You're going to look at just 60 of them.



Structure of RNA polymerase protein complex, shown attached to a small piece of DNA. Subunit B is shown in a darker shade.

based on RCSB PDB reference 2e2i

Instructions

1. Fold along the dotted line, below the mouse sequence.



MOUSE – RNA Polymerase 2 amino acid sequence (partial):

YHLRGNEVLYNGFTGRKITSQIFIGPTY YQRLKHMVDDKIHSRARGPIQILNRQPMEGRS

NAME _____ DATE _____

2. Line up the mouse sequence with the sequence below, and mark matches and mismatches:

- CIRCLE matches; SLASH mismatches
- If both are dashes, don't count it at all

MOUSE	-	T	L	P	-	M	S	-	-	V	P	L	E
SOYBEAN	-	(T)	(L)	(P)	(S)	(M)	(S)	-	-	/	/	/	/

◀ Example: 5 matches out of 10 = 50%



CHIMP — RNA Polymerase 2 amino acid sequence (partial):

Y H L R G N E V L Y N G F T G R K I T S Q I F I G P T Y Y Q R L K H M V D D K I H S R A R G P I Q I L N R Q P M E G R S

4. Calculate the **percent of amino acids that are identical** between mouse and chimp: _____ ÷ 60 = _____ %
(# that are the same)

5. Repeat for the other sequences:



FRUIT FLY — RNA Polymerase 2 amino acid sequence (partial):

Y H L R G N E V M Y N G H T G R K I N A Q V F L G P T Y Y Q R L K H M V D D K I H S R A R G P V Q I L V R Q P M E G R A

percent identical between mouse and fruit fly: _____ ÷ 60 = _____ %
(# that are the same)



YEAST — RNA Polymerase 2 amino acid sequence (partial):

Y Q S R G F E V M Y N G H T G K K L M A Q I F F G P T Y Y Q R L R H M V D D K I H A R A R G P M Q V L T R Q P V E G R S

percent identical between mouse and yeast: _____ ÷ 60 = _____ %
(# that are the same)



CORN — RNA Polymerase 2 amino acid sequence (partial):

P E Y P G K S R I F D G R T G D P F E Q P V L I G K S Y I L K L I H Q V D E K I H G R S T G P Y S L V T Q Q P V R G R A

percent identical between mouse and corn: _____ ÷ 60 = _____ %
(# that are the same)

NAME _____ DATE _____



S. AUREUS — RNA Polymerase 2 amino acid sequence (partial):

MARDGKTVLYDGRTGEPFDNRISVGVMYMLKLAHMVDDKLHARSTGPYSLVTQQPLGGKA

percent identical between mouse and S. aureus: _____ ÷ 60 = _____ %
(# that are the same)



RANDOM amino acid sequence:

YWFMLSWAFPVCQLLFFQAWMANCFKKDQTLLEHNLRGVCSEIYGEIIGKKHNRCEQRMTC


percent identical between mouse and the random sequence: _____ ÷ 60 = _____ %
(# that are the same)

6. Fill in the boxes on the cards with the percent identical numbers. Make sure to write your numbers BIG. Cut the cards apart.

RNA POLYMERASE 2 PROTEIN

BACTERIA

S. aureus



% IDENTICAL TO MOUSE

RNA POLYMERASE 2 PROTEIN



RANDOM SEQUENCE



% IDENTICAL TO MOUSE

RNA POLYMERASE 2 PROTEIN



ANIMAL
chimpanzee



% IDENTICAL TO MOUSE

RNA POLYMERASE 2 PROTEIN



ANIMAL
fruit fly



% IDENTICAL TO MOUSE

RNA POLYMERASE 2 PROTEIN


FUNGUS
yeast



% IDENTICAL TO MOUSE

RNA POLYMERASE 2 PROTEIN

PLANT
corn



% IDENTICAL TO MOUSE

Comparing Amino Acid Sequences

Introduction

Some proteins are shared among all living things. Even though these proteins carry out the same function, their exact shape and size—which depends on the amino acids they are made up of—can be different from one organism to the next.

Yet if all living things are descended from a common ancestor, we would expect to find similarities in their protein sequences.


Are proteins that have the same job made up of similar sequences of amino acids? What patterns are there in amino acid sequences from different organisms?

RNA Polymerase 2 Protein

RNA Polymerase is made up of several protein subunits (in yeast, there are 12) that work together. RNA Polymerase transcribes DNA: it moves along one strand and builds a complementary strand of RNA. Because transcribing the information from DNA to make RNA is essential for life, all types of living things make RNA Polymerase.

Comparing Amino Acid Sequences

You will be comparing amino acid sequences of RNA Polymerase 2 protein subunits from several different organisms to the Subunit B protein from mouse. This protein has about 1,255 amino acids in all. You're going to look at just 60 of them.



Structure of RNA polymerase protein complex, shown attached to a small piece of DNA. Subunit B is shown in a darker shade.

based on RCSB PDB reference 2e2i

Instructions

1. Fold along the dotted line, below the mouse sequence.



MOUSE – RNA Polymerase 2 amino acid sequence (partial):

YHLRGNEVLYNGFTGRKITSQIFIGPTY YQRLKHMVDDKIHSRARGPIQILNRQPMEGRS

NAME _____ DATE _____

2. Line up the mouse sequence with the sequence below, and mark matches and mismatches:

- CIRCLE matches; SLASH mismatches
- If both are dashes, don't count it at all

MOUSE	-	T	L	P	-	M	S	-	-	V	P	L	E
SOYBEAN	-	(T)	(L)	(P)	(S)	(M)	(S)	-	-	/	/	/	/

◀ Example: 5 matches out of 10 = 50%



ZEBRAFISH – RNA Polymerase 2 amino acid sequence (partial):

YHLRGNEVLYNGFTGRKLT SQIFVGPTY YQRLKHMVDDKIHSRARGPVQILNRQPMEGRS

4. Calculate the **percent of amino acids that are identical** between mouse and zebrafish: _____ ÷ 60 = _____ %
(# that are the same)

5. Repeat for the other sequences:



MOSS – RNA Polymerase 2 amino acid sequence (partial):

YQMRGF EVMYNGHTGRRLTAHIFLGPTY YQRLKHMVDDKIHSRGRGPVQILTRQPAEGRS

percent identical between mouse and moss: _____ ÷ 60 = _____ %
(# that are the same)



PENICILLIUM – RNA Polymerase 2 amino acid sequence (partial):

YQSRGF EVMFNHGTGRKLV AQVFLGPTY YQRLRHMVDDKI HARARGPTQILTRQPV EGRA

percent identical between mouse and mold: _____ ÷ 60 = _____ %
(# that are the same)



PLASMODIUM – RNA Polymerase 2 amino acid sequence (partial):

SYNYNKYYLKNPFTGNMINNSICLNNIYYYKLIHMIKDKFRYRFIGLYSEL TQQPIK GNT

percent identical between mouse and plasmodium: _____ ÷ 60 = _____ %
(# that are the same)

NAME _____ DATE _____



M. JANNASCHII – RNA Polymerase 2 amino acid sequence (partial):

F K H H G K E V M Y D G K T G K K F E V E I Y I G I A Y Y Q K L H H L V A G K I H A R S R G P V Q V L T R Q P T E G R A

percent identical between mouse and M. jannaschii: _____ ÷ 60 = _____ %
(# that are the same)



RANDOM amino acid sequence:


P G E H S E Y C S D W R S E T C F C H S E T L T M K A N T Y H I I Q E K E N G I P M R L H W L C I E T G Q F F E G G E N

percent identical between mouse and the random sequence: _____ ÷ 60 = _____ %
(# that are the same)

6. Fill in the boxes on the cards with the percent identical numbers. Make sure to write your numbers BIG. Cut the cards apart.

RNA POLYMERASE 2 PROTEIN


ARCHAEA
M. jannaschii



% IDENTICAL TO MOUSE

RNA POLYMERASE 2 PROTEIN

RANDOM SEQUENCE





% IDENTICAL TO MOUSE

RNA POLYMERASE 2 PROTEIN

ANIMAL

zebrafish





% IDENTICAL TO MOUSE

RNA POLYMERASE 2 PROTEIN

PLANT

moss





% IDENTICAL TO MOUSE

RNA POLYMERASE 2 PROTEIN

FUNGUS

penicillium





% IDENTICAL TO MOUSE

RNA POLYMERASE 2 PROTEIN

PROTIST

plasmodium



% IDENTICAL TO MOUSE

Comparing Amino Acid Sequences

Introduction

Some proteins are shared among all living things. Even though these proteins carry out the same function, their exact shape and size—which depends on the amino acids they are made up of—can be different from one organism to the next.

Yet if all living things are descended from a common ancestor, we would expect to find similarities in their protein sequences.

Are proteins that have the same job made up of similar sequences of amino acids?

What patterns are there in amino acid sequences from different organisms?

Recombination Protein RecA

This protein has different names in different species, including RecA, RadA, and Rad51. Whatever the name, this protein helps cells repair damage to their DNA. RadA binds to single-stranded DNA and recruits other proteins needed to repair broken DNA strands. Because maintaining and repairing DNA are essential for life, all types of living things make this protein.

Comparing Amino Acid Sequences

You will be comparing amino acid sequences of RecA-related proteins from several different organisms to RecA protein from mouse. RecA has about 352 amino acids in all. You're going to look at about 60 of them.


Instructions

1. Fold along the dotted line, below the mouse sequence.



MOUSE – RecA amino acid sequence (partial):

N I K G I S E A K A D K I L T E A A K L V P M G F T T A T E F - - - H Q R R S E I I Q I T T G S K E L D K L L Q - G G I



Structure of RadA protein from the archaeal species *Methanococcus maripaludis*.
based on RCSB PDB reference 3etl

NAME _____ DATE _____

2. Line up the mouse sequence with the sequence below, and mark matches and mismatches:

- CIRCLE matches; SLASH mismatches
- If both are dashes, don't count it at all

MOUSE	-	T	L	P	-	M	S	-	-	V	P	L	E
SOYBEAN	-	(T)	(L)	(P)	(S)	(M)	(S)	-	-	/	/	/	/

◀ Example: 5 matches out of 10 = 50%



ZEBRAFISH — RecA amino acid sequence (partial):

N I K G I S E A K A D K I L T E A A K M V P M G F T T A T E F - - - H Q R R A E I I Q I S T G S K E L D K L L Q - G G I

4. Calculate the **percent of amino acids that are identical** between mouse and zebrafish: _____ ÷ 56 = _____ %
(# that are the same)

5. Repeat for the other sequences:



NEMATODE — RecA amino acid sequence (partial):

N V K G I S D Q K A E K I M K E A M K F V Q M G F T T G A E V - - - H V K R S Q L V Q I R T G S A S L D R L L G - G G I

percent identical between mouse and nematode: _____ ÷ 56 = _____ %
(# that are the same)



MOSS — RecA amino acid sequence (partial):

L I K G L S D A K V D K I I E A A T K L V P M G F T S A K Q M - - - H E Q R A E L I Q I T T G A K E F D N I L E - G G I

percent identical between mouse and moss: _____ ÷ 56 = _____ %
(# that are the same)



PLASMODIUM — RecA amino acid sequence (partial):

A I K G I S E Q K A E K L K K A C K E L C N S G F C N A I D Y - - - H D A R Q N L I K F T T G S K Q L D A L L K - G G I

percent identical between mouse and plasmodium: _____ ÷ 56 = _____ %
(# that are the same)

NAME _____ DATE _____



Y. PESTIS — RecA amino acid sequence (partial):

--MAIDENKQ-KALAAALGQIEKQFGKGSIMRLGEDRSMDVETISTGSLSLDIALGAGGL

percent identical between mouse and Y. pestis: _____ ÷ 60 = _____ %
(# that are the same)

J

RANDOM amino acid sequence:

MLETKLYLMDWSRRCPKIEHLTIKLTGAEYN---WHFSPAAGTNIGRYHGAKMYLK-SYD


percent identical between mouse and the random sequence: _____ ÷ 56 = _____ %
(# that are the same)

6. Fill in the boxes on the cards with the percent identical numbers. Make sure to write your numbers BIG. Cut the cards apart.

RECA PROTEIN

BACTERIA

Y. pestis



% IDENTICAL TO MOUSE

RECA PROTEIN

RANDOM SEQUENCE





% IDENTICAL TO MOUSE

RECA PROTEIN

ANIMAL

zebrafish





% IDENTICAL TO MOUSE

RECA PROTEIN

ANIMAL

nematode





% IDENTICAL TO MOUSE

RECA PROTEIN

PLANT

moss





% IDENTICAL TO MOUSE

RECA PROTEIN

PROTIST

plasmodium



% IDENTICAL TO MOUSE



Set K

Comparing Amino Acid Sequences

Introduction

Some proteins are shared among all living things. Even though these proteins carry out the same function, their exact shape and size—which depends on the amino acids they are made up of—can be different from one organism to the next.

Yet if all living things are descended from a common ancestor, we would expect to find similarities in their protein sequences.

Are proteins that have the same job made up of similar sequences of amino acids?


What patterns are there in amino acid sequences from different organisms?

Recombination Protein RecA

This protein has different names in different species, including RecA, RadA, and Rad51. Whatever the name, this protein helps cells repair damage to their DNA. RadA binds to single-stranded DNA and recruits other proteins needed to repair broken DNA strands. Because maintaining and repairing DNA are essential for life, all types of living things make this protein.

Comparing Amino Acid Sequences

You will be comparing amino acid sequences of RecA-related proteins from several different organisms to RecA protein from mouse. RecA has about 352 amino acids in all. You're going to look at about 60 of them.



Structure of RadA protein from the archaeal species *Methanococcus maripaludis*.
based on RCSB PDB reference 3etl

Instructions

1. Fold along the dotted line, below the mouse sequence.



MOUSE – RecA amino acid sequence (partial):

N I K G I S E A K A D K I L T E A A K L V P M G F T T A T E F - - - H Q R R S E I I Q I T T G S K E L D K L L Q - G G I

NAME _____ DATE _____

2. Line up the mouse sequence with the sequence below, and mark matches and mismatches:

- CIRCLE matches; SLASH mismatches
- If both are dashes, don't count it at all

MOUSE	-	T	L	P	-	M	S	-	-	V	P	L	E
SOYBEAN	-	(T)	(L)	(P)	(S)	(M)	(S)	-	-	/	/	/	/

◀ Example: 5 matches out of 10 = 50%



CHIMP — RecA amino acid sequence (partial):

N I K G I S E A K A D K I L A E A A K L V P M G F T T A T E F - - - H Q R R S E I I Q I T T G S K E L D K L L Q - G G I

4. Calculate the **percent of amino acids that are identical** between mouse and chimp: _____ ÷ 56 = _____ %
(# that are the same)

5. Repeat for the other sequences:



YEAST — RecA amino acid sequence (partial):

E I K G I S E A K A D K L L N E A A R L V P M G F V T A A D F - - - H M R R S E L I C L T T G S K N L D T L L G - G G V

percent identical between mouse and yeast: _____ ÷ 56 = _____ %
(# that are the same)



CORN — RecA amino acid sequence (partial):

Q I K G I S E A K A D K I I E A A S K I V P L G F T S A S Q L - - - H A Q R L E I I Q V T T G S R E L D K I L E - G G I

percent identical between mouse and corn: _____ ÷ 56 = _____ %
(# that are the same)



M. JANNASCHII — RecA amino acid sequence (partial):

E I D G I S E K A A A R I I E A A R E L C N L G F K S G T E V - - - L S Q R K N I W K L S T G S K N L D E I L G - G G L

percent identical between mouse and m. janneschii: _____ ÷ 56 = _____ %
(# that are the same)

NAME _____ DATE _____



E. COLI — RecA amino acid sequence (partial):

--MAIDENKQ-KALAAALGQIEKQFGKGSIMRLGEDRSMDVETISTGSLSLDIALGAGGL

percent identical between mouse and *E. coli*: _____ ÷ 60 = _____ %
(# that are the same)

K

RANDOM amino acid sequence:

WSVEHWFNCFPGVNTAKNSMYIITKVCMPQR---FYIYAITFQQDGCYFAPYDITW-QPL


percent identical between mouse and the random sequence: _____ ÷ 56 = _____ %
(# that are the same)

6. Fill in the boxes on the cards with the percent identical numbers. Make sure to write your numbers BIG. Cut the cards apart.

RECA PROTEIN

BACTERIA

E. coli



% IDENTICAL TO MOUSE

RECA PROTEIN



RANDOM SEQUENCE

K

% IDENTICAL TO MOUSE

RECA PROTEIN



ANIMAL
chimpanzee



% IDENTICAL TO MOUSE

RECA PROTEIN



FUNGUS
yeast



% IDENTICAL TO MOUSE

RECA PROTEIN



PLANT
corn



% IDENTICAL TO MOUSE

RECA PROTEIN

ARCHAEA
M. jannaschii



% IDENTICAL TO MOUSE